L Number	Hits	Search Text	DB	Time stamp
-	181	IPSEC and VPN and SSL and (secur$3 same communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:22
-	131	(IPSEC and VPN and SSL and (secur$3 same communication)) and database and firewall	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 12:41
-	97	((IPSEC and VPN and SSL and (secur$3 same communication)) and database and firewall) and wan and lan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 14:58
-	2	6594763.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 12:48
-	2	6330677.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 12:48
-	2	((IPSEC and VPN and SSL and (secur$3 same communication)) and database and firewall) and wan and lan and sever and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:05
-	3	((IPSEC and VPN and SSL and (secur$3 same communication)) and database and firewall) and wan and lan and database and raid	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15:05
-	0	((IPSEC and VPN and SSL and (secur$3 same communication)) and database and firewall) and wan and lan and database and (User-defined near10 rules)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15:06
-	97	((IPSEC and VPN and SSL and (secur$3 same communication)) and database and firewall) and wan and lan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15:11
-	243	cpu and keyboard and monitor and ((smartcard or "smart card" or smart-card) near reader)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15:16
-	4	((cpu and keyboard and monitor and ((smartcard or "smart card" or smart-card) near reader)) and (LAN or WAN)) and database and (key near10 server) and (security near10 authority)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15:17
-	107	(cpu and keyboard and monitor and ((smartcard or "smart card" or smart-card) near reader)) and (LAN or WAN)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 15:26
-	1	"6196456".PN.	USPAT	2004/07/14 15:40
-	1	"6195694".PN.	USPAT	2004/07/14 15:40
-	149	((IPSEC and VPN and SSL and (secur$3 same communication)) and database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:21

-	106	(data near10 entity) and (search$4 same attribute) and SSL and (secur$3 same communication)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:25
-	63	((data near10 entity) and (search$4 same attribute) and SSL and (secur$3 same communication)) and (encryption near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 09:36
-	5335	hash$3 near10 key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 09:37
-	2494	(hash$3 near10 key) and (encrypt$3 same (encryption near10 key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 09:38
-	292	((hash$3 near10 key) and (encrypt$3 same (encryption near10 key))) and (stor$3 near10 (hash near value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 09:40
-	0	(((hash$3 near10 key) and (encrypt$3 same (encryption near10 key))) and (stor$3 near10 (hash near value))) and ((attribute near10 correspond$3) same hash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 09:41
-	2	(((hash$3 near10 key) and (encrypt$3 same (encryption near10 key))) and (stor$3 near10 (hash near value))) and ((search$3 near10 attribute) same hash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 09:42
-	4	(((hash$3 near10 key) and (encrypt$3 same (encryption near10 key))) and (stor$3 near10 (hash near value))) and ((search$3 near10 attribute) and (computer near10 medium))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:08
-	5073	(encrypt$4 near10 key) and database and Id	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:09
-	683	((encrypt$4 near10 key) and database and Id) and (encrypt$4 near10 (encrypted near key)) and hash$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:28
-	401	(((encrypt$4 near10 key) and database and Id) and (encrypt$4 near10 (encrypted near key)) and hash$4) and (encrypt$3 near10 (key and id))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:38
-	1	((((encrypt$4 near10 key) and database and Id) and (encrypt$4 near10 (encrypted near key)) and hash$4) and (encrypt$3 near10 (key and id))) and "encryption key identification"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:15
-	1	((((encrypt$4 near10 key) and database and Id) and (encrypt$4 near10 (encrypted near key)) and hash$4) and (encrypt$3 near10 (key and id))) and "encryption key id"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:15

-	1	(((((encrypt$4 near10 key) and database and Id) and (encrypt$4 near10 (encrypted near key)) and hash$4) and (encrypt$3 near10 (key and id))) and "encryption key id") not (((((encrypt$4 near10 key) and database and Id) and (encrypt$4 near10 (encrypted near key)) and hash$4) and (encrypt$3 near10 (key and id))) and "encryption key identification")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 10:15
-	4	(((encrypt$4 near10 key) and database and Id) and (encrypt$4 near10 (encrypted near key)) and hash$4) and (encrypt$3 near10 (key and id)) and (search$4 near10 attribute)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 11:39
-	0	((encrypt$4 near10 key) and database and Id) and (encrypt$4 near10 (encrypted near key)) and hash$4 and ((stor$4 and retreiv$3) same (data or message or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:30
-	453	((encrypt$4 near10 key) and database and Id) and (encrypt$4 near10 (encrypted near key)) and hash$4 and ((stor$4 and retriev$3) same (data or message or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 14:31
-	72	(((encrypt$4 near10 key) and database and Id) and (encrypt$4 near10 (encrypted near key)) and hash$4 and ((stor$4 and retriev$3) same (data or message or content))) and "encryption key" and "key id" and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:19
-	21412	707.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:20
-	9456	707.clas. and ((stor$3 and retriev$3) near10 (data or content or info))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:21
-	20	(707.clas. and ((stor$3 and retriev$3) near10 (data or content or info))) and "searchable attribute"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:31
-	14869	((system and encryption) same key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:32
-	9946	((system and encryption) near10 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:32
-	54	(((system and encryption) near10 key)) and ((search or searchable) near attribute)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 15:33
-	13	((((system and encryption) near10 key)) and ((search or searchable) near attribute)) and (smartcard or "smart card" or smart-card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 09:36
-	2	6633906.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 14:29

-	2	6088451.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 09:36
-	1819	key near server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 14:37
-	163	(key near server) and database and (key near management)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 14:42
-	1	((key near server) and database and (key near management)) and (search near attribute)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 14:43
-	85	((key near server) and database and (key near management)) and (encrypted near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 15:29
-	5	(((key near server) and database and (key near management)) and (encrypted near key)) and search$3 and (key near id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 14:49
-	1	"5872849".PN.	USPAT	2004/07/16 14:46
-	1	"5815573".PN.	USPAT	2004/07/16 14:47
-	1	"5768388".PN.	USPAT	2004/07/16 14:47
-	1	"5647000".PN.	USPAT	2004/07/16 14:48
-	1	"5629982".PN.	USPAT	2004/07/16 14:48
-	1	"5625695".PN.	USPAT	2004/07/16 14:48
-	1	"5557765".PN.	USPAT	2004/07/16 14:49
-	2	"20030078853"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 14:50
-	2	(((key near server) and database and (key near management)) and (encrypted near key)) and (data near entity)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 15:31
-	85	(((key near server) and database and (key near management)) and (encrypted near key)) and (database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/16 15:31
-	708	380/277.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:42
-	21	380/277.ccls. and "encryption key" and (key near id) and (query$3 or search$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:43
-	33	380/277.ccls. and (encrypt$3 near10 (key near id))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:44

-	13	(380/277.ccls. and (encrypt$3 near10 (key near id))) and (380/277.ccls. and "encryption key" and (key near id) and (query$3 or search$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:48
-	8	(380/277.ccls. and "encryption key" and (key near id) and (query$3 or search$3)) not (380/277.ccls. and (encrypt$3 near10 (key near id)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:56
-	1	"5201000".PN.	USPAT	2004/07/29 10:54
-	1838	key near server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:57
-	0	(key near server) and (securtiy near manager)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:58
-	69	(key near server) and (access near manager)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:58
-	4	((key near server) and (access near manager)) and ((key near server) and (key near manager))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 10:58
-	24	(key near server) and (key near manager)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:43
-	271	((stor$3 and retriev$3) near15 (encrypt$3 near data))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:07
-	18	(((stor$3 and retriev$3) near15 (encrypt$3 near data))) and (key near server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:52
-	1	"5347580".PN.	USPAT	2004/07/29 11:49
-	1	(((stor$3 and retriev$3) near15 (encrypt$3 near data))) and (encryption near (key and id)) and ("encrypted key" or "encrypted key id")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:52
-	8	(((stor$3 and retriev$3) near15 (encrypt$3 near data))) and (database and "smart card reader")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 11:55
-	9	(((stor$3 and retriev$3) near15 (encrypt$3 near data)) and "encryption key") and "smart card reader"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:08
-	3	(((((stor$3 and retriev$3) near15 (encrypt$3 near data)) and "encryption key") and "smart card reader") not ((((stor$3 and retriev$3) near15 (encrypt$3 near data))) and (database and "smart card reader"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 12:09

-	5	(((stor$3 and retriev$3) near15 (encrypt$3 near data))) and (key near server) and database and search$3 and Query$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:54
-	135	((((stor$3 or retriev$3 or transmit$3 or send$3) near15 (encrypt$3 near data))) and (key near server) and database and search$3 and Query$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:05
-	15	((((stor$3 or retriev$3 or transmit$3 or send$3) near15 (encrypt$3 near data))) and (key near server) and database and search$3 and Query$3) and (hash near value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:56
-	11	(((((stor$3 or retriev$3 or transmit$3 or send$3) near15 (encrypt$3 near data))) and (key near server) and database and search$3 and Query$3) and (hash near value)) and (((((stor$3 or retriev$3 or transmit$3 or send$3) near15 (encrypt$3 near data))) and (key near server) and database and search$3 and Query$3) and (smart near card))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:56
-	22	((((stor$3 or retriev$3 or transmit$3 or send$3) near15 (encrypt$3 near data))) and (key near server) and database and search$3 and Query$3) and (smart near card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:58
-	11	(((((stor$3 or retriev$3 or transmit$3 or send$3) near15 (encrypt$3 near data))) and (key near server) and database and search$3 and Query$3) and (smart near card)) not ((((((stor$3 or retriev$3 or transmit$3 or send$3) near15 (encrypt$3 near data))) and (key near server) and database and search$3 and Query$3) and (hash near value)) and (((((stor$3 or retriev$3 or transmit$3 or send$3) near15 (encrypt$3 near data))) and (key near server) and database and search$3 and Query$3) and (smart near card)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 14:58
-	121	((((stor$3 or retriev$3 or transmit$3 or send$3) near15 (encrypt$3 near data))) and (key near server) and database and search$3 and Query$3) and (encrypted near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:06
-	9	(((((stor$3 or retriev$3 or transmit$3 or send$3) near15 (encrypt$3 near data))) and (key near server) and database and search$3 and Query$3) and (encrypted near key)) and (key near database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:08
-	121	(((((stor$3 or retriev$3 or transmit$3 or send$3) near15 (encrypt$3 near data))) and (key near server) and database and search$3 and Query$3) and (encrypted near key)) and (key near server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:17
-	24	(key near server) and (key near manager)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:25
-	0	380/277.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:26
-	708	380/277.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:26

-	2	380/277.ccls. and "key server" and (key near manager) and (hash near value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:27
-	5	380/277.ccls. and "key server" and (key near manager)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:27
-	3	(380/277.ccls. and "key server" and (key near manager)) not (380/277.ccls. and "key server" and (key near manager) and (hash near value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:31
-	1	"5201000".PN.	USPAT	2004/07/29 15:30
-	1	"5200999".PN.	USPAT	2004/07/29 15:30
-	158	380/277.ccls. and (smart near card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:32
-	79	(380/277.ccls. and (smart near card)) and object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/29 15:42
-	39	((380/277.ccls. and (smart near card)) and object) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:36
-	139	(380/277.ccls. and (authenticat$3 near10 process))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:37
-	18	((380/277.ccls. and (authenticat$3 near10 process))) and (process near10 run$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 10:49
-	11191	((file near10 contain$4) same process)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:06
-	160	((file near10 contain$4) same (procedure near5 call))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/30 11:08
-	7	(((file near10 contain$4) same (procedure near5 call))) and authorization	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 09:44
-	46146	access$3 near10 file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 10:18
-	399	(access$3 near10 file) and ((file near10 contain$3) same (key and (file near name)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 10:43

-	73	((access$3 near10 file) and ((file near10 contain$3) same (key and (file near name)))) and (compar$3 near10 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:00
-	9	(((access$3 near10 file) and ((file near10 contain$3) same (key and (file near name)))) and (compar$3 near10 key)) and (713/193.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:35
-	266421	process near10 (name or number or No. or id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:26
-	2	(process near10 (name or number or No. or id)) and ((encryption near key) same (process near id))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:27
-	176	(process near10 (name or number or No. or id)) and ((encryption near key) and (process near id)) not ((process near10 (name or number or No. or id)) and ((encryption near key) same (process near id)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:27
-	781	713/193.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 11:35
-	29	713/193.ccls. and ((program near10 call$3) same (procedure or process))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 13:50
-	1	"5778070".PN.	USPAT	2004/08/02 13:35
-	1	"6266416".PN.	USPAT	2004/08/02 13:36
-	1	"5970143".PN.	USPAT	2004/08/02 13:37
-	2	713/193.ccls. and ((program near10 call$3) same (procedure or process)) and object and (process near file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:05
-	1	"5615264".PN.	USPAT	2004/08/02 13:59
-	1	"5638445".PN.	USPAT	2004/08/02 13:59
-	1	"5638443".PN.	USPAT	2004/08/02 14:00
-	1	"5634012".PN.	USPAT	2004/08/02 14:00
-	1	"5625692".PN.	USPAT	2004/08/02 14:00
-	1	"5615264".PN.	USPAT	2004/08/02 14:04
-	1	"5598470".PN.	USPAT	2004/08/02 14:04
-	1	"5592549".PN.	USPAT	2004/08/02 14:05
-	0	713/193.ccls. and ((program near10 call$3) same (procedure or process)) and object and "process file"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:06
-	13	713/193.ccls. and ((program near10 call$3) same (procedure or process)) and object and ((encrypted near file) or (decrypt$3 near10 execut$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:08
-	11	(713/193.ccls. and ((program near10 call$3) same (procedure or process)) and object and ((encrypted near file) or (decrypt$3 near10 execut$3))) not (713/193.ccls. and ((program near10 call$3) same (procedure or process)) and object and (process near file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:16
-	1	"6061449".PN.	USPAT	2004/08/02 14:11

-	455	((authoriz$3 near5 program) same (execut$3 near10 (file or software or process or procedure or program)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:18
-.	4	(((authoriz$3 near5 program) same (execut$3 near10 (file or software or process or procedure or program)))) and ((compar$3 near10 (id or key)) near15 file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:27
-	0	(((authoriz$3 near5 program) same (execut$3 near10 (file or software or process or procedure or program)))) and ((check$3 near10 (process near (name or id))) near15 file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:28
-	0	(((authoriz$3 near5 program) same (execut$3 near10 (file or software or process or procedure or program)))) and (check$3 near10 (process near (name or id)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:29
-	4	(((authoriz$3 near5 program) same (execut$3 near10 (file or software or process or procedure or program)))) and (check$3 near10 (file near (name or id)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:29
-	3	((((authoriz$3 near5 program) same (execut$3 near10 (file or software or process or procedure or program)))) and (check$3 near10 (file near (name or id)))) not ((((authoriz$3 near5 program) same (execut$3 near10 (file or software or process or procedure or program)))) and ((compar$3 near10 (id or key)) near15 file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 15:02
-	30	713/193.ccls. and (protect$3 near5 file) and ((control$4 or authoriz$3) near10 execut$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 15:09
-	1	"5555304".PN.	USPAT	2004/08/02 15:06
-	1	"5287407".PN.	USPAT	2004/08/02 15:09
-	1	"5511123".PN.	USPAT	2004/08/02 15:09
-	1750	file near protect$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 15:09
-	0	(file near protect$3) and (authoriz$3 near5 (file near execution))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 15:10
-	6	(file near protect$3) and (authoriz$3 same (file near execution))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 15:12
-	3	(file near protect$3) and ((permit$3 or contol$3) same (file near execution))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 15:13
-	3	(file near protect$3) and ((permit$4 or contol$4) same (file near execution))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 15:47

-	5948	control$4 near10 (file near5 access$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:02
-	1604	(control$4 near10 (file near5 access$3)) and (execut$3 near5 file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:27
-	301	((control$4 near10 (file near5 access$3)) and (execut$3 near5 file)) and (authorized near5 (files or programs or users))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:04
-	19	(((control$4 near10 (file near5 access$3)) and (execut$3 near5 file)) and (authorized near5 (files or programs or users))) and ((decrypt$3 near5 file) same execution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:05
-	1	"4999806".PN.	USPAT	2004/08/02 16:07
-	1	"4937863".PN.	USPAT	2004/08/02 16:07
-	1	"4757534".PN.	USPAT	2004/08/02 16:07
-	1	"5666415".PN.	USPAT	2004/08/02 16:10
-	1	((control$4 near10 (file near5 access$3)) and (execut$3 near5 file)) and (list$3 near5 (authorized near file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:35
-	0	"program calls the application"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:35
-	1045	(Main near program) same (call$3 near5 (subroutine or process or instructions))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:36
-	0	"4937863".PN. and (address near space)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:37
-	0	((Main near program) same (call$3 near5 (subroutine or process or instructions))) and (friend near10 (classes or objects or processes))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:39
-	43	((Main near program) same (call$3 near5 (subroutine or process or instructions))) and (called near5 method)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 10:32
-	1	"5499343".PN.	USPAT	2004/08/02 16:41
-	5892	713/167,176,181,200,201.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 10:32
-	559	713/167,176,181,200,201.ccls. and (((hash or digest or signature or sign$3) near10 (file or application or java or object)) same ((verif$7 or authent$7 or compar$4) near10 (hash or digest or signature)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 13:03

-	86	(713/167,176,181,200,201.ccls. and (((hash or digest or signature or sign$3) near10 (file or application or java or object)) same ((verif$7 or authent$7 or compar$4) near10 (hash or digest or signature)))) and (protect$4 near10 program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:15
-	2	(713/167,176,181,200,201.ccls. and (((hash or digest or signature or sign$3) near10 (file or application or java or object)) same ((verif$7 or authent$7 or compar$4) near10 (hash or digest or signature)))) and "authorization file"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:04
-	142	(713/167,176,181,200,201.ccls. and (((hash or digest or signature or sign$3) near10 (file or application or java or object)) same ((verif$7 or authent$7 or compar$4) near10 (hash or digest or signature)))) and (compar$3 near5 hash)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:07
-	32	((713/167,176,181,200,201.ccls. and (((hash or digest or signature or sign$3) near10 (file or application or java or object)) same ((verif$7 or authent$7 or compar$4) near10 (hash or digest or signature)))) and (compar$3 near5 hash)) and (hash near10 (stor$3 near10 file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:08
-	24	(713/167,176,181,200,201.ccls. and (((hash or digest or signature or sign$3) near10 (file or application or java or object)) same ((verif$7 or authent$7 or compar$4) near10 (hash or digest or signature)))) and ((anti-virus or "anti virus" or antivirus) near10 program)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:23
-	140	(713/167,176,181,200,201.ccls. and (((hash or digest or signature or sign$3) near10 (file or application or java or object)) same ((verif$7 or authent$7 or compar$4) near10 (hash or digest or signature)))) and ((verif$6 or authenticat$3 or authoriz$4) same ((run$4 or execut$4) near10 program))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:26
-	0	((713/167,176,181,200,201.ccls. and (((hash or digest or signature or sign$3) near10 (file or application or java or object)) same ((verif$7 or authent$7 or compar$4) near10 (hash or digest or signature)))) and ((verif$6 or authenticat$3 or authoriz$4) same ((run$4 or execut$4) near10 program))) and ((process or "accessing process" or "calling process") same (corresponding near10 hash))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:29
-	0	((713/167,176,181,200,201.ccls. and (((hash or digest or signature or sign$3) near10 (file or application or java or object)) same ((verif$7 or authent$7 or compar$4) near10 (hash or digest or signature)))) and ((verif$6 or authenticat$3 or authoriz$4) same ((run$4 or execut$4) near10 program))) and ((process or "accessing process" or "calling process") same (correspond$3 near10 hash))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:30
-	14	((713/167,176,181,200,201.ccls. and (((hash or digest or signature or sign$3) near10 (file or application or java or object)) same ((verif$7 or authent$7 or compar$4) near10 (hash or digest or signature)))) and ((verif$6 or authenticat$3 or authoriz$4) same ((run$4 or execut$4) near10 program))) and (process near10 (file and hash))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 11:30
-	3543	(((hash or digest or signature or sign$3) near10 (file or application or java or object)) same ((verif$7 or authent$7 or compar$4) near10 (hash or digest or signature)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 13:03
-	158	((stor$3 and retriev$3) near15 (encrypt$3 near data)) and "encryption key"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 10:13
-	26	(((stor$3 and retriev$3) near15 (encrypt$3 near data)) and "encryption key") and database and (smart near card)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 10:44

-	19	(((stor$3 and retriev$3) near15 (encrypt$3 near data)) and "encryption key") and database and (smart near card)) and certificate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 10:27
-	16	(((stor$3 and retriev$3) near15 (encrypt$3 near data)) and "encryption key") and database and (key same (smart near card))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 10:45
-	10	(((stor$3 and retriev$3) near15 (encrypt$3 near data)) and "encryption key") and database and (key near10 (smart near card))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 13:39
-	2	(((stor$3 and retriev$3) near15 (encrypt$3 near file)) and "encryption key") and database and filename and (encryption near5 id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 14:10
-	5	(((stor$3 and retriev$3) near15 (encrypt$3 near file)) and "encryption key") and filename and (encryption near5 id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 14:10
-	3	(((stor$3 and retriev$3) near15 (encrypt$3 near file)) and "encryption key") and filename and (encryption near5 id) not (((stor$3 and retriev$3) near15 (encrypt$3 near file)) and "encryption key") and database and filename and (encryption near5 id))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 14:11
-	16	(((stor$3 and retriev$3) near15 (encrypt$3 near file)) and "encryption key") and filename	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 14:11
-	16	((((stor$3 and retriev$3) near15 (encrypt$3 near file)) and "encryption key") and filename) not (((((stor$3 and retriev$3) near15 (encrypt$3 near file)) and "encryption key") and database and filename and (encryption near5 id)) and (((stor$3 and retriev$3) near15 (encrypt$3 near file)) and "encryption key") and filename and (encryption near5 id)) and (((stor$3 and retriev$3) near15 (encrypt$3 near file)) and "encryption key") and filename and (encryption near5 id) not (((stor$3 and retriev$3) near15 (encrypt$3 near file)) and "encryption key") and database and filename and (encryption near5 id))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:02
-	153	(encrypted near5 file) and (multiple same (encryption near key)) and (encrypted near10 "encryption key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:05
-	0	((encrypted near5 file) and (multiple same (encryption near key)) and (encrypted near10 "encryption key")) and (((search$4 and retriev$3) near5 file) same filename)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:06
-	6	((encrypted near5 file) and (multiple same (encryption near key)) and (encrypted near10 "encryption key")) and (((search$4 or retriev$3) near5 file) same filename)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:07
-	75	((encrypted near5 file) and (multiple same (encryption near key)) and (encrypted near10 "encryption key")) and ((search$4 or retriev$3) near5 file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:16
-	1	"6002772".PN.	USPAT	2004/08/10 16:13
-	1	"5974141".PN.	USPAT	2004/08/10 16:15

-	1	"5923754".PN.	USPAT	2004/08/10 16:16
-	64	((encrypted near5 file) and (multiple same (encryption near key)) and (encrypted near10 "encryption key")) and (key near5 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/10 16:27
-	1	"6044469".PN.	USPAT	2004/08/10 16:21
-	1	"5935246".PN.	USPAT	2004/08/10 16:22
-	1	"5956034".PN.	USPAT	2004/08/10 16:23
-	1	"5935246".PN.	USPAT	2004/08/10 16:23
-	21	(((encrypted near5 file) and (multiple same (encryption near key)) and (encrypted near10 "encryption key")) and (key near5 server)) and (key near5 id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 09:37
-	1	"5940507".PN.	USPAT	2004/08/10 16:31
-	1	"6397307".PN.	USPAT	2004/08/10 16:33
-	1	"6295541".PN.	USPAT	2004/08/10 16:34
-	1	"6178505".PN.	USPAT	2004/08/10 16:34
-	1	"6173399".PN.	USPAT	2004/08/10 16:36
-	120	(((encrypted near5 file) and (encrypted near10 "encryption key")) and (key near5 server)) and (key near5 id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 09:40
-	18	((((encrypted near5 file) and (encrypted near10 "encryption key")) and (key near5 server)) and (key near5 id)) and (data near server) and (key near server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 09:58
-	235	(access$3 near10 (encrypted near file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:28
-	103	((access$3 near10 (encrypted near file))) and (encrypted near10 (encryption near key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 10:22
-	31	(((access$3 near10 (encrypted near file))) and (encrypted near10 (encryption near key))) and (key near10 id)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 10:22
-	1	"5887063".PN.	USPAT	2004/08/11 10:30
-	1	"5778071".PN.	USPAT	2004/08/11 10:30
-	1	"5719938".PN.	USPAT	2004/08/11 10:31
-	1	"5623546".PN.	USPAT	2004/08/11 10:31
-	1	"5623546".PN.	USPAT	2004/08/11 10:32
-	1	"4736422".PN.	USPAT	2004/08/11 10:32
-	14	((access$3 near10 (encrypted near file))) and ((multiple or "more than one" or several) near10 "encryption key")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 10:45
-	5	(access$3 near10 (encrypted near file)) and (smartcard or (smart near card)) and (key near certificate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:46
-	23	(access$3 near10 (encrypted near file)) and ((smartcard or (smart near card)) same key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 12:46

-	18	((access$3 near10 (encrypted near file)) and ((smartcard or (smart near card)) same key)) not ((access$3 near10 (encrypted near file)) and (smartcard or (smart near card)) and (key near certificate))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:09
-	137	(copy near right) and (access near control)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:10
-	4	((copy near right) and (access near control)) and (smartcard and (smart near card))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:15
-	5287	encrypted near10 (software or file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:59
-	71	(encrypted near10 (software or file)) and ((copy near right) and (access near control))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:21
-	60	((encrypted near10 (software or file)) and ((copy near right) and (access near control))) and (key near10 (server or database))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 16:26
-	31	((encrypted near10 (software or file)) and ((copy near right) and (access near control))) and (key near10 database) and (encrypted near10 (content or data or info or software))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:12
-	1	"5870477".PN.	USPAT	2004/08/12 09:56
-	1	"5870468".PN.	USPAT	2004/08/12 09:56
-	1	"5598470".PN.	USPAT	2004/08/12 09:59
-	1	"4238854".PN.	USPAT	2004/08/12 10:00
-	1	"5142578".PN.	USPAT	2004/08/12 10:00
-	1	"5319705".PN.	USPAT	2004/08/12 10:03
-	2	4757534.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 10:12
-	1836	encrypted near10 (database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:22
-	593	(encrypted near10 (database)) and (search$3 and update$3 and view$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:06
-	31	((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and (search near5 attribute)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:09
-	14	(((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and (search near5 attribute)) and (encryption near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:01

-	17	(((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and (search near5 attribute)) not ((((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and (search near5 attribute)) and (encryption near key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 15:09
-	82	((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and ((authentication and data) near10 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:07
-	185	((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and ((key and data) near20 server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:07
-	2	((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and ((key near server) same (data near server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:08
-	2	((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and ((key near server) same ((file or data) near server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:09
-	0	((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and ((key near server) same (file near server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:09
-	0	((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and ((key near server) same (content near server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:10
-	7	((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and ((key near server) same (data near10 server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:10
-	5	((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and ((key near server) same (data near10 server)) not (((encrypted near10 (database)) and (search$3 and update$3 and view$3)) and ((key near server) same (data near server)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:10
-	62	(encrypted near10 (database)) and (search$3 near10 (hash near value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:41
-	2709	((different or separate or new) near20 (key or "encryption key")) same ((different or new or separate) near10 (action or request or session))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 11:47
-	605	(((different or separate or new) near20 (key or "encryption key")) same ((different or new or separate) near10 (action or request or session))) and (encrypted near10 (file or data or content)) and (token or pin or password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:45
-	34	((((different or separate or new) near20 (key or "encryption key")) same ((different or new or separate) near10 (action or request or session))) and (encrypted near10 (file or data or content)) and (token or pin or password)) and (hashed near5 (value or key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 16:45

-		6	((different or separate or new) near20 (key or "encryption key")) same ((different or new or separate) near10 (action or request or session)) and (patient near5 (address info))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 11:49
-		5	((different or separate or new) near20 (key or "encryption key")) same ((different or new or separate) near10 (action or request or session)) and (patient near5 database) and (table) and (patient near record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:47
-		72	(key near5 (database or server)) and (patient near5 database) and (table) and (patient near record)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:47
-		70	((key near5 (database or server)) and (patient near5 database) and (table) and (patient near record)) not (((different or separate or new) near20 (key or "encryption key")) same ((different or new or separate) near10 (action or request or session)) and (patient near5 database) and (table) and (patient near record))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:47
-		18	(((key near5 (database or server)) and (patient near5 database) and (table) and (patient near record)) not (((different or separate or new) near20 (key or "encryption key")) same ((different or new or separate) near10 (action or request or session)) and (patient near5 database) and (table) and (patient near record))) and (encrypt$3 near5 (record or content or data)) and (token or smartcard or "smart card" or password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/13 14:48
-		1	"5920630".PN.	USPAT	2004/08/13 14:57
-		1	"5864683".PN.	USPAT	2004/08/13 14:58
-		1	"5768391".PN.	USPAT	2004/08/13 14:58
-		1	"5754939".PN.	USPAT	2004/08/13 14:58
-		1	"5640454".PN.	USPAT	2004/08/13 14:59
-		63	database and (patient near records) and (encryption near key) and (smartcard or (smart near card) or token or password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:27
-		2	4757534.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 10:49
-		23	database and (patient near records) and (encryption near key) and (smartcard or (smart near card) or token or password) and Hash$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:34
-		1		USPAT	2004/08/17 14:34
-		465	hash$3 near10 (encryption near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 14:35
-		20	(hash$3 near10 (encryption near key)) and (hashed near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 15:22
-		148	database and (hashed near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/17 15:22

-	30	(database and (hashed near key)) and integrity	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:12
-	746	ssl and (proxy near server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:13
-	285	(ssl and (proxy near server)) and client and server and (authenticat$3 near10 client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:24
-	0	((ssl and (proxy near server)) and client and server and (authenticat$3 near10 client)) and transparant	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:14
-	0	((ssl and (proxy near server)) and client and server and (authenticat$3 near10 client)) and (Cyberarmour near secure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:21
-	2	((ssl and (proxy near server)) and client and server and (authenticat$3 near10 client)) and (prevent$3 near10 logging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:23
-	0	((ssl and (proxy near server)) and client and server and (authenticat$3 near10 client)) and (intermidiary near5 site)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:24
-	157	((ssl and (proxy near server)) and client and server and (authenticat$3 near10 client)) and (service near5 provider)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:50
-	8	(((ssl and (proxy near server)) and client and server and (authenticat$3 near10 client)) and (service near5 provider)) and ((proxy near server) same (forward near request))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:54
-	2	((ssl and (proxy near server)) and client and server and (authenticat$3 near10 client)) and ((prevent$3 or avoid$3) near10 logging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:55
-	2	((ssl and (proxy near server)) and client and server and (authenticat$3 near10 client)) and ((prevent$3 or avoid$3) near10 trac$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:20
-	26	database and (request$3 near10 (search near attribute))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:21
-	2	(database and (request$3 near10 (search near attribute))) and hash$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 11:26

-	24	(database and (request$3 near10 (search near attribute))) not ((database and (request$3 near10 (search near attribute))) and hash$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:49
-	17060	(database and (quer$4 near10 (data or (search near attribute))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 10:36
-	241	((database and (quer$4 near10 (data or (search near attribute))))) and (encrypted near10 (encryption near key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 15:39
-	6	(((database and (quer$4 near10 (data or (search near attribute))))) and (encrypted near10 (encryption near key)) and (hash$4 near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:52
-	40	((database and (quer$4 near10 (data or (search near attribute))))) and (decryptor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 14:53
-	4	(database and (quer$4 near10 (data or (search near attribute)))) and (key near (database or server)) and (search$3 near10 (hash$3 near value))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/23 15:41
-	10482	(database and (quer$4 near10 (data or (search near attribute)))) and search$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 10:41
-	317	((database and (quer$4 near10 (data or (search near attribute)))) and search$3) and (system near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 10:36
-	3	(((database and (quer$4 near10 (data or (search near attribute)))) and search$3) and (system near key)) and (encrypted near5 (system near key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 10:37
-	1043	((database and (quer$4 near10 (data or (search near attribute)))) and search$3) and (decrypt$3 or decipher$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 10:53
-	737	(((database and (quer$4 near10 (data or (search near attribute)))) and search$3) and (decrypt$3 or decipher$3)) and (search$3 and find$3 and decrypt$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 10:48
-	2	(((database and (quer$4 near10 (data or (search near attribute)))) and search$3) and (decrypt$3 or decipher$3)) and (search$3 near10 (key near database)) and find$3 and decrypt$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 10:49
-	399	(((database and (quer$4 near10 (data or (search near attribute)))) and search$3) and (decrypt$3 or decipher$3)) and (look near up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 10:53

-	60	(((((database and (quer$4 near10 (data or (search near attribute)))) and search$3) and (decrypt$3 or decipher$3)) and (look near up)) and (hash$3 near value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 13:00
-	13	(((((database and (quer$4 near10 (data or (search near attribute)))) and search$3) and (decrypt$3 or decipher$3)) and (look near up)) and (hash$3 near value) and (search$3 near5 (database or memory or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 13:08
-	33	search$3 near10 (key near server)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 14:08
-	218	search$3 near10 (key near (database or server))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 13:09
-	1		USPAT	2004/08/24 13:16
-	1		USPAT	2004/08/24 13:16
-	1		USPAT	2004/08/24 14:05
-	2	6199113.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/24 14:09